

PROPOSAL FOR BID OPENING

TO: SUPERINTENDENT OF HIGHWAYS  
 TOWN OF SOMERS  
 250 ROUTE 100, P.O. BOX 281  
 SOMERS, NEW YORK 10589

We hereby propose to furnish materials and services to the Town of Somers Highway Department in accordance with the Specifications and Notice, **dated October 30, 2018** for materials ordered for delivery on or before December 31, 2019 at unit prices as bid below:

ITEM

**1. Liquid Bituminous Asphalt**

Spec. Item	Material Description	<u>Price per Gallon</u>	
		<u>In Place</u>	
		<u>One Man/Two Men</u>	
		<u>Per Tank/Per Tank</u>	
a. 702-3001 thru 3601	Asphalt Emulsions	\$ _____	\$ _____
b. 702-4101	Cationic Asphalt Emulsions	\$ _____	\$ _____
c. 702-10 thru 16	Rapid Curing Asphalt Cutbacks	\$ _____	\$ _____
d. 802-20 thru 25	Medium Curing Asphalt AC-20	\$ _____	\$ _____
e. 703-03	Penetration Grade Asphalt AC-20	\$ _____	\$ _____
f. Special Asphalt Cutback	Rapid Curing	\$ _____	\$ _____
g. 407-0101 HFMS 2H	Tack Coat Emulsion Applied	\$ _____	\$ _____

Plant Location \_\_\_\_\_

Mileage from Town Garage \_\_\_\_\_

**PRICE ADJUSTMENT CLAUSE:**

In view of the energy crisis asphalt cement prices may fluctuate. To adjust equally to compensate for price fluctuations the bidder shall use October 1, 2018 OGS posting. **\$598.00 U.S.** per ton for the base price of asphalt cement at the time of their submission of the BID

In requesting payment the vendor shall invoice the Town of Somers for the number of tons or gallons at the bid price. An additional statement on the same invoice form will designate the adjustment based on the percentage of asphalt cement in the particular mix. This will be either an additional payment to the vendor or a credit to the Town if the asphalt cement cost is over or under the established base price.

Price Adjustment = % of asphalt x (New FOB Terminal Price = **\$598.00 U.S. Per Gallon**)

Documentation of the price of asphalt will be submitted with invoices.

2. BITUMINOUS CONCRETE		AC-20 PER	PRICE DEL.	PRICE FOB
<u>SPEC. ITEM</u>	<u>MATERIAL DESCRIPTION</u>	<u>TON OF MIX</u>	<u>PER NET TON</u>	<u>PER NET TON</u>
403.118902	Base Course Type 1	5.00%	\$ _____	\$ _____
403.138902	Binder Course Type 3	5.50%	\$ _____	\$ _____
403.15	Shim Course Type 5	8.25%	\$ _____	\$ _____
18403.1780302	Top Course Type 6F3	6.40%	\$ _____	\$ _____
W18403-178302	Top Course 6F3 Warm Mix Spec	6.4%	\$ _____	\$ _____
402-128301	12.5MM Superpave Top	6%	\$ _____	\$ _____
403.19	Top Course type 7F	7.00%	\$ _____	\$ _____
714.06	Asphaltic Concrete Curb	7.50%	\$ _____	\$ _____
403.2001	Asphal. Conc. Stockpile Patching Winter Mix	7.00%	\$ _____	\$ _____
18403.1702	Asphaltic Concrete Type 6F3 Laid in Place Complete per ton		\$ _____	
W18403-178302	Asphaltic Concrete Type 6F3 Warm Mix Laid in Place Complete per ton		\$ _____	
403.128301	Asphaltic Concrete Type 12.5MM Superpave Top Laid in Place Complete Per Ton		\$ _____	
403.11	Asphaltic Concrete Type 1 Laid in Place Complete per ton		\$ _____	
403.13	Asphaltic Concrete Type 3 Laid in Place Complete per ton		\$ _____	

**PRICE LAID IN PLACE  
PER SYD**

18403.1780302	Top Course Type 6F3	6.40%		
	Laid in Place Complete per syd @2 in.		\$ _____	
	Lain in Place Complete per syd @1.5in.		\$ _____	
W18403-178302	Top Course 6F3 Warm Mix Spec	6.4%		
	Laid in Place Complete per syd @2 in.		\$ _____	
	Lain in Place Complete per syd @1.5in.		\$ _____	

WINTER MIX – Winter Mix must be loose and fresh. Aged stockpiles are not Acceptable

Plant Location \_\_\_\_\_  
Mileage from Town Garage \_\_\_\_\_

**PRICE ADJUSTMENT CLAUSE:**

In view of the energy crisis asphalt cement prices may fluctuate. To adjust equally to compensate for price fluctuations bidder shall use the October 1, 2018 OGS posting **\$598.00 U.S.** per ton for the base price of asphalt cement at the time of their submission of the bid. In requesting payment the vendor shall invoice the Town of Somers for the number of tons at the bid price. An additional statement on the same invoice form will designate the adjustment based on the percentage of asphalt cement in the particular mix. This will be either an additional payment to the vendor or a credit to the Town if the asphalt cement cost is over or under the established base price.

Price Adjustment =% of asphalt\*(New Average FOB Terminal Price: **\$598.00 U.S.**

Documentation of the price of asphalt will be submitted with invoices.

**3A. CRUSHED BLUESTONE**

NYS DOT SPECIFICATION 703-2	PER TON	PER TON	PER CYD	PER CYD
	<u>F.O.B.</u>	<u>DELIVERED</u>	<u>F.O.B.</u>	<u>DELIVERED</u>
1A. (1/4")	\$ _____	_____	_____	_____
1 <sup>ST</sup> (3/8")	\$ _____	_____	_____	_____
2 (3/4")	\$ _____	_____	_____	_____
2A ( 1")	\$ _____	_____	_____	_____
3 (1 1/2")	\$ _____	_____	_____	_____
703-0201 (4" TO 6")	\$ _____	_____	_____	_____
620-03 LITE STONE FILL	\$ _____	_____	_____	_____
MEDIUM STONE FILL	\$ _____	_____	_____	_____
CRUSHER RUN	\$ _____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED)

---

---

**3B. CRUSHED LIMESTONE**

NYS DOT SPECIFICATIONS 703-02	PER TON	PER TON	PER CYD	PER CYD
	F.O.B.	DELIVERED	F.O.B.	DELIVERED
2 (3/4")	\$ _____	_____	_____	_____
3 (1 1/2")	\$ _____	_____	_____	_____
703-0201 (4" TO 6")	\$ _____	_____	_____	_____
620-03 LITE STONE FILL	\$ _____	_____	_____	_____
MEDIUM STONE FILL	\$ _____	_____	_____	_____
CRUSHER RUN	\$ _____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) \_\_\_\_\_

---



---

**ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED**

**4. COURSE WASHED DARK BROWN NYS SPECIFICATION WINTER SAND**

PER TON	PER TON	PER CYD	PER CYD
F.O.B.	DELIVERED	F.O.B.	DELIVERED
_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) \_\_\_\_\_

---



---

**5. COURSE SCREENED DARK BROWN WINTER SAND**

PER TON	PER TON	PER CYD	PER CYD
F.O.B.	DELIVERED	F.O.B.	DELIVERED
_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) \_\_\_\_\_

---



---

**6. COURSE WASHED LONG ISLAND SAND**

PER TON	PER TON	PER CYD	PER CYD
F.O.B.	DELIVERED	F.O.B.	DELIVERED
_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) \_\_\_\_\_

---



---

**7. WASHED GRAVEL**

NYS DOT SPECIFICATION	PER TON <u>F.O.B.</u>	PER TON <u>DELIVERED</u>	PER CYD <u>F.O.B.</u>	PER CYD <u>DELIVERED</u>
3/8"	\$ _____	_____	_____	_____
3/4"	\$ _____	_____	_____	_____
1 1/2"	\$ _____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) \_\_\_\_\_

---

---

**8A. RUN OF BANK GRAVEL**

	PER TON <u>F.O.B.</u>	PER TON <u>DELIVERED</u>	PER CYD <u>F.O.B.</u>	PER CYD <u>DELIVERED</u>
6" Minus (-) Stone	_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) \_\_\_\_\_

---

---

**8B. PROCESSED RUN OF BANK GRAVEL**

NYS DOT SPECIFICATION	PER TON <u>F.O.B.</u>	PER TON <u>DELIVERED</u>	PER CYD <u>F.O.B.</u>	PER CYD <u>DELIVERED</u>
ITEM #4 1" Minus (-) Stone	_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) \_\_\_\_\_

---

---

**9A. ITEM #4 SHOULDER STONE - 3/4" TRAP ROCK (BLUE)**

NYS DOT SPECIFICATION	PER TON <u>F.O.B.</u>	PER TON <u>DELIVERED</u>	PER CYD <u>F.O.B.</u>	PER CYD <u>DELIVERED</u>
-----------------------	--------------------------	-----------------------------	--------------------------	-----------------------------

ITEM #4 1" (-) Trap Rock    \$ \_\_\_\_\_

Plant/Quarry Location (MUST BE LISTED) \_\_\_\_\_

---

---

**ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED**

**9B. ITEM #4 SHOULDER STONE - 3/4" LIMESTONE (WHITE)**

NYS DOT SPECIFICATION	PER TON <u>F.O.B.</u>	PER TON <u>DELIVERED</u>	PER CYD <u>F.O.B.</u>	PER CYD <u>DELIVERED</u>
-----------------------	--------------------------	-----------------------------	--------------------------	-----------------------------

ITEM #4 1" (-) Limestone    \$ \_\_\_\_\_

Plant/Quarry Location (MUST BE LISTED) \_\_\_\_\_

---

---

**ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED**

GUIDE RAIL AND POST INSTALLATION  
CORRUGATED BOX BEAM AND GUIDERAIL MATERIALS MEETING  
GALVANIZED SPECIFICATIONS

1. Complete layout and installation of guide rail and posts per New York State Specifications PER LINEAL FT. \_\_\_\_\_
2. Corrugated beam type guide rail-punched 6'3" PER LINEAL FT. \_\_\_\_\_
3. Corrugated beam type guide rail - punched 6'3"  
Curved to special radius:  
Curved to 50' radius and up EACH \_\_\_\_\_  
Curved 40' to 50' radius EACH \_\_\_\_\_  
Curved 30' to 39' radius EACH \_\_\_\_\_  
Curved 20' to 29' radius EACH \_\_\_\_\_
4. Corrugated beam type guide rail - length 13' 6 1/2" (shop curved rail) (approach and terminal) (rotation 90 degrees) EACH \_\_\_\_\_
5. 3" X 2-3/8" I Intermediate guide rail posts - length 5'3" EACH \_\_\_\_\_
6. Flared type terminal sections 12 gauge EACH \_\_\_\_\_
7. Wrap around type terminal sections 12 gauge EACH \_\_\_\_\_
8. Concrete anchor unit with all necessary hardware EACH \_\_\_\_\_
9. Galvanized splice bolts 1-1/4" x 5/8" EACH \_\_\_\_\_
10. Galvanized post bolts 5/16" x 1-3/4" with washer & nut EACH \_\_\_\_\_
11. Galvanized post bolts 2" x 5/8" EACH \_\_\_\_\_
12. Galvanized support bolts 1/2" x 1-1/2" w/nuts no washer EACH \_\_\_\_\_

10. (Pg. 2 of 4)

13. 6"X6"X24' box beam type guide rail including self  
angle, splice plates, nuts and bolts PER LINEAL FT \_\_\_\_\_

14. 6"x6" box beam type guide rail curved to  
special radius PER LINEAL FT \_\_\_\_\_

15. 6"x 6" box beam type guide rail shop cuts and  
mitered curved rail PER LINEAL FT \_\_\_\_\_

16. 6" x 6" box beam guide rail end sections EACH \_\_\_\_\_

17. 3" I beam guide rail posts 5'3" long intermediate  
type post for box beam rail EACH \_\_\_\_\_

18. 3" I beam guide rail posts 3'8" long end type post  
for box beam rail EACH \_\_\_\_\_

19. 12'6" Galvanized Driveway Turndowns EACH \_\_\_\_\_



10. (Pg. 3 of 4)

CORRUGATED BOX BEAM AND GUIDERAIL MATERIALS MEETING MAYARI  
SPECIFICATIONS

20. Mayari corrugated beam type guide rail-  
punched 6'3' PER LINEAL FT \_\_\_\_\_
21. Mayari corrugated beam type guide rail -  
punched 6'3" curved to special radius:
- Curved to 50' radius and up EACH \_\_\_\_\_
  - Curved 40' to 50' radius EACH \_\_\_\_\_
  - Curved 30' to 39' radius EACH \_\_\_\_\_
  - Curved 20' to 29' radius EACH \_\_\_\_\_
22. Mayari corrugated beam type guide rail - length 13' 6-1/2"  
(shop curved rail) (approach and terminal)  
(rotation 90 degrees) EACH \_\_\_\_\_
23. 3" X 2-3/8" Mayari I intermediate guide rail posts -  
length 5'3" EACH \_\_\_\_\_
24. Mayari flared type terminal sections 12 gauge EACH \_\_\_\_\_
25. Mayari wrap around type terminal sections 12 gauge EACH \_\_\_\_\_
26. 6" x 6" x 24' Mayari box beam type guide rail  
including self angle, splice places, nuts & bolts PER LINEAL FT \_\_\_\_\_
27. 6" x 6" Mayari box beam type guide rail curved  
to special radius PER LINEAL FT \_\_\_\_\_
28. 6" x 6" Mayari box beam type guide rail shop  
cuts and mitered curved rail PER LINEAL FT \_\_\_\_\_
29. 6" x 6" Mayari box beam guide rail end sections EACH \_\_\_\_\_
30. 3" Mayari I beam guide rail posts 5'3" long  
intermediate type posts for box beam guide rail  
The bottom portion of the I beam post that is placed  
into the ground will be hot dipped galvanized EACH \_\_\_\_\_
31. 3" Mayari I beam guide rail posts 3'8" long end type  
posts for box beam guide rail EACH \_\_\_\_\_
32. 12'6" Mayari Driveway Turndowns EACH \_\_\_\_\_

10. (CONTINUED) pg. 4 of 4

Guide rail bidders must be able to furnish both materials and install posts and guide rail per NEW YORK STATE Specifications.

All materials to conform to NYSDOT Specifications, Section 606 and Standard Sheet 606.6 12 gauge and 606-3R1 12 gauge.

Guide rail bidders must also include a \$5000.00 bid bond to guarantee delivery of material and performance of work.

Guide rail bidders must maintain sufficient stock so that guide rail materials will be delivered within 5 days after receipt of order.

**11. Liquid Calcium Chloride with Corrosion Inhibitor "Corguard"**

a. 32% Liquid Calcium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized specifications

Delivery under 4000 gallons per gal. \$ \_\_\_\_\_

Delivery 4000 gallons or more per gal. \$ \_\_\_\_\_

b. 34% Liquid Calcium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized Specifications

Delivery under 4000 gallons per gal. \$ \_\_\_\_\_

Delivery 4000 gallons or more per gal. \$ \_\_\_\_\_

**12. Liquid Magnesium Chloride with Corrosion Inhibitor "Ice-Stop CI"**

a. 25% Liquid Magnesium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized specifications

Delivery under 4000 gallons per gal. \$ \_\_\_\_\_

Delivery 4000 gals. or more per gal. \$ \_\_\_\_\_

13. CALIBER M-2000

per gal. \$ \_\_\_\_\_

14. ENVIROBRINE

ITEM 1 – 30% Envirobrine Delivered to a tank

per gal. \$ \_\_\_\_\_

ITEM 2 - 30% Corrosion Inhibited Envirobrine Delivered to a tank

per gal \$ \_\_\_\_\_

Couplers are to be furnished at a price equal to one (1) foot of the corresponding diameter pipe.

15A. Smooth Interior Corrugated Polyethylene Pipe, Solid or Perforated

Corrugated Diameter

Polyethylene Pipe

6 Inch	\$ _____ PER LINEAR FT.
6 Inch (Perforated)	\$ _____ PER LINEAR FT.
12 Inch	\$ _____ PER LINEAR FT
15 Inch	\$ _____ PER LINEAR FT
18 Inch	\$ _____ PER LINEAR FT
24 Inch	\$ _____ PER LINEAR FT
30 Inch	\$ _____ PER LINEAR FT
36 Inch	\$ _____ PER LINEAR FT

Couplers are to be furnished at a price equal to one (1) foot of the corresponding diameter pipe.

15B. Culvert Pipe - Price Per Foot

1. Corrugated aluminum culvert pipe in 20 ft. lengths, solid or perforated, with collars and bolts for same:

6" 18 gauge \_\_\_\_\_ 12" 16 gauge \_\_\_\_\_ 15" 16 gauge \_\_\_\_\_  
 18" 16 gauge \_\_\_\_\_ 24" 14 gauge \_\_\_\_\_ 36" 12 gauge \_\_\_\_\_  
 42" 12 gauge \_\_\_\_\_ 48" 12 gauge \_\_\_\_\_ 54" 12 gauge \_\_\_\_\_  
 60" 12 gauge \_\_\_\_\_

**16A. PRECAST CATCH BASINS**

SUMPS WITH 6" WALLS

OUTSIDE DIMENSIONS 56"x 45"

INSIDE DIMENSIONS 44" x 33"

KNOCKOUT DIMENSIONS 24" – 36"

TYPE A 36" SUMP PLUS FLAT TOP WITH GRATE \$ \_\_\_\_\_ COMB COST

TYPE B 48" SUMP PLUS FLAT TOP WITH GRATE \$ \_\_\_\_\_ COMB.COST

TYPE A 36" SUMP \$ \_\_\_\_\_ PER UNIT

TYPE B 48" SUMP \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 2" \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 4" \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 6" \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 12" \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 24" \$ \_\_\_\_\_ PER UNIT

SUMP EXTENSION (RISER) 36" **W/KNOCKOUTS** \$ \_\_\_\_\_ PER UNIT

SUMP BOTTOM 12" **WITHOUT KNOCKOUTS** \$ \_\_\_\_\_ PER UNIT

SUMP BOTTOM 24" **WITHOUT KNOCKOUTS** \$ \_\_\_\_\_ PER UNIT

**16B. LARGE KNOCKOUT PRECAST CATCH BASINS**

SUMPS WITH 6" WALLS

OUTSIDE DIMENSIONS 42"W x 60"L

INSIDE DIMENSIONS 30"W x 48"L

KNOCKOUT DIMENSIONS 40" x 24" SIDE 24"x 24" END

TYPE A 36" SUMP	\$ _____ PER UNIT
* TYPE B 48" SUMP	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 2"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 4"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 6"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 12"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 18"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 24"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 36" WITH <b>KNOCKOUTS</b>	\$ _____ PER UNIT
SUMP BOTTOM 24" <b>WITHOUT KNOCKOUTS</b>	\$ _____ PER UNIT

\*MUST HAVE 12" FROM BOTTOM OF KNOCKOUT TO FLOOR OF BASIN

TYPE C 24" SUMP WITH 6" WALLS

OUTSIDE DIMENSIONS 36"W x 36"L x 30"H

INSIDE DIMENSIONS 24"W x 24"L x 24"H

KNOCKOUT DIMENSIONS 22" X 22"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 2"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 4"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 6"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 12"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 18"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 24"	\$ _____ PER UNIT
SUMP EXTENSION (RISER) 36"	\$ _____ PER UNIT
SUMP BOTTOM 12" <b>WITHOUT KNOCKOUTS</b>	\$ _____ PER UNIT
SUMP BOTTOM 24" <b>WITHOUT KNOCKOUTS</b>	\$ _____ PER UNIT

**16C. FRAMES & GRATES**

CAST IRON GRATES – to fit Type A & B basins with 6” and 8” curb inlets:

6” Curb Inlets (GRATE SIZE 21<sup>3</sup>/<sub>4</sub>” x 47<sup>3</sup>/<sub>4</sub>”)

8” Curb Inlets (GRATE SIZE 20”- 21<sup>3</sup>/<sub>4</sub>” x 47<sup>3</sup>/<sub>4</sub>”)

Without Curb Inlet (GRATE SIZE 30” X 49<sup>1</sup>/<sub>4</sub>)

FRAME DIMENSIONS – OUTSIDE EDGES 36” X 55<sup>1</sup>/<sub>2</sub>”

**TYPE A – CURB INLET**

GRATE DIMENSIONS 21<sup>3</sup>/<sub>4</sub>” x 47<sup>3</sup>/<sub>4</sub>” \$ \_\_\_\_\_ PER UNIT

FRAME DIMENSIONS – OUTSIDE EDGES 36” X 55<sup>1</sup>/<sub>2</sub>” \$ \_\_\_\_\_ PER UNIT

8” CURB HEAD 8” X 9” X 49 1/2” \$ \_\_\_\_\_ PER UNIT

6” CURB HEAD 6” X 9” X 49 1/2” \$ \_\_\_\_\_ PER UNIT

6” CURB BACK TOP-FRAME & GRATE WITH HEAD \$ \_\_\_\_\_ PER SET

8” CURB BACK TOP-FRAME & GRATE WITH HEAD \$ \_\_\_\_\_ PER SET

**TYPE B – WITHOUT CURB INLET**

GRATE DIMENSIONS 30” X 49 1/4” \$ \_\_\_\_\_ PER UNIT

FRAME DIMENSIONS - OUTSIDE EDGES 36" X 55 1/2" \$ \_\_\_\_\_ PER UNIT

\$ \_\_\_\_\_ PER SET

**TYPE C -**

GRATE DIMENSIONS 24" x 24" \$ \_\_\_\_\_ PER UNIT

FRAME DIMENSIONS 30" x 30" \$ \_\_\_\_\_ PER UNIT

\$ \_\_\_\_\_ PER SET

**TYPE D -**

CONCRETE FLAT TOP/W GRATE \$ \_\_\_\_\_ PER UNIT

CONCRETE CURB TOP/W GRATE \$ \_\_\_\_\_ PER UNIT

OUTSIDE DIMENSIONS 56 3/4" X 45 3/8" \$ \_\_\_\_\_ PER SET

**17. READY MIX CONCRETE**

Ready Mix Concrete delivered wherever designated in the Town of Somers -

2,500 LB. \_\_\_\_\_ PER CYD

3,000 LB. \_\_\_\_\_ PER CYD

3,500 LB. \_\_\_\_\_ PER CYD

4,000 LB. \_\_\_\_\_ PER CYD

5,000 LB. \_\_\_\_\_ PER CYD

WINTER ADDITIVES \_\_\_\_\_

**18. REFLECTORIZED YELLOW & WHITE PAVEMENT MARKING PAINT**

UNIT PRICE PER MILE - DOUBLE YELLOW CENTER LINES -

4" WIDE - 25 MILES + OR - FIRST APPLICATION -

UP TO 5 MILES + OR - SECOND APPLICATION

UNIT PRICE PER MILE \$ \_\_\_\_\_

UNIT PRICE PER MILE - SINGLE WHITE EDGE LINE -

4" WIDE STRIP - MILEAGE TO BE DETERMINED

UNIT PRICE PER LANE MILE \$ \_\_\_\_\_

STOP LINES: 12in WIDE                      PRICE PER L.F. \$ \_\_\_\_\_

STOP LINES: 18in WIDE                     PRICE PER L.F. \$ \_\_\_\_\_



**19. EPOXY REFLECTORIZED PAVEMENT MARKINGS AS PER SPECIFICATIONS**

UNIT PRICE PER LINEAR FOOT - DOUBLE YELLOW CENTER LINE -  
4" WIDE PER STRIPE -

4" YELLOW - PRICE PER L.F. \$ \_\_\_\_\_

UNIT PRICE PER LINEAR FOOT - SINGLE WHITE EDGE LINE -  
4" WIDE PER STRIPE -

4" WHITE - PRICE PER L.F. \$ \_\_\_\_\_

STOP BARS/CROSS WALK PRICE PER S.F. \$ \_\_\_\_\_

STOP LINE: 12in WIDE PRICE PER L.F. \$ \_\_\_\_\_

STOP LINE: 18in WIDE PRICE PER L.F. \$ \_\_\_\_\_

ARROW (EACH) \$ \_\_\_\_\_

HANDICAP PARKING (EACH) \$ \_\_\_\_\_

REMOVAL OF LINE (S) PRICE PER S.F. \$ \_\_\_\_\_

6 FOOT LETTERING PRICE PER 6FT LETTER \$ \_\_\_\_\_

**20. GRADER BLADES AND SNOW PLOW BLADES - PER POUND BASIS**

GRADER BLADES

5/8" THICK 8" WIDE FOR (1) #11 CATERPILLAR GRADER

\$ \_\_\_\_\_

SNOW PLOW BLADES

5/8" x 6" PER LB. \$ \_\_\_\_\_

5/8" x 8" PER LB. \$ \_\_\_\_\_

3/4" x 8" PER LB. \$ \_\_\_\_\_

1" x 8" PER LB. \$ \_\_\_\_\_

CARBIDE BLADES PER LB. \$ \_\_\_\_\_

ALL BLADES STANDARD HIGHWAY PUNCH - 8', 9', 10', 11' 12'

**21. PAVEMENT RECYCLING**

Old Pavement ground, shaped, graded and compacted and necessary additives reground or mixed in. SEE ATTACHED PACKET.

**22. HEAT SCARIFYING**

This item shall be part of a multi-step process of asphalt surface rehabilitation that consists of softening the existing flexible pavement with heat and thoroughly stirring, spinning or tumbling the mixture, applying an asphalt plasticizing or softening agent, reshaping and compacting the scarified surface and installing a surface treatment or overlay. SEE ATTACHED PACKET.

**23. PAVER PLACED SURFACE TREATMENT**

SEE ATTACHED PACKET

**24. SIGNS AND POSTS – SEE ATTACHED PACKET**

NON-COLLUSIVE BIDDING CERTIFICATION

Made pursuant to Section 103-d of the General Municipal Law of the State of New York as amended by the laws of 1966

(a) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to the opening, directly or indirectly, to any other bidder or the any competitor; and

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(b) A bid shall not be considered for award nor shall any award be made where (a) (1) (2) and (3), above, have not been complied with; provided, however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where (a) (1) (2) and (3), above, have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.

DATED \_\_\_\_\_

\_\_\_\_\_  
Legal Name of Person, Firm or Corp

(Seal of Corporation)

\_\_\_\_\_

\_\_\_\_\_  
Business address of Person, Firm or Corp

By \_\_\_\_\_  
Signature Title

**WAIVER OF IMMUNITY PURSUANT TO 103a  
OF THE GENERAL MUNICIPAL LAW OF THE STATE OF NEW YORK**

The Contractor and/or Vendor and/or Supplier, pursuant to General Municipal Law, Section 103a, hereby agrees to the provisions in the law which require that upon refusal of a person, when called before a Grand Jury to testify concerning any transaction or contract had with the State, any political subdivision thereof, a Public Authority or with any public department, agency or official of the State or of any political subdivision thereof or of a public authority, to sign a Waiver of Immunity against subsequent criminal prosecution or to answer any relevant question concerning such transaction or contract.

(a) Such person, and any firm, partnership or corporation of which he is a member, partner, director or officer shall be disqualified from thereafter selling to or submitting bids to or receiving awards from or entering into any contract with any municipal corporation or fire district or any public department, agency or official thereof, for goods, work or services, for a period of five years after such refusal, and to provide also that;

(b) Any and all contracts made with any municipal corporation or any public department, agency or official thereof, since the effective date of this Law, by such person, and by any firm, partnership, or corporation of which he is a member, partner, director or officer may be cancelled or terminated by the municipal corporation or fire district without incurring any penalty or damages on account of such cancellation or termination, but any monies owing by the municipal corporation or fire district for goods delivered or work done prior to the cancellation or termination shall be paid.

\_\_\_\_\_  
AUTHORIZED SIGNATURE FOR BIDDER

\_\_\_\_\_  
TITLE

(CORPORATE SEAL, if any)

(If no seal, write "No Seal"  
across this place and sign)

\_\_\_\_\_  
DATE

**NON-COLLUSIVE BIDDING CERTIFICATE PURSUANT TO 103d  
OF THE GENERAL MUNICIPAL LAW OF THE STATE OF NEW YORK**

(A) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by Law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(B) A bid shall not be considered for award nor shall any award be made where (a) (1) (2) & (3) have not been complied with; provided however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where (a) (1) (2) and (3) have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.

The fact that a bid (a) has published price lists, rates, or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such items, or (c) has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning of subparagraph one (a).

By submission of this bid, the undersigned hereby affirms the truth of the foregoing certification under the penalties of perjury.

\_\_\_\_\_  
Signature of Bidder

ALL BIDDERS MUST SIGN  
THIS CERTIFICATION PRIOR  
TO THE OPENING OF THE BIDS

NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid or proposal, the bidder certifies that:

- a. This bid or proposal has been independently arrived at without collusion with any competitor or potential competitor.
- b. This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor or potential competitor.
- c. No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal.
- d. The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification and under the penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as well as to the person signing in its behalf.
- e. That attached hereto is a certified copy of resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

---

---

---

---